

CELLPRO


Suzhou CellPro Biotechnology Co., Ltd.



Suzhou CellPro Biotechnology Co., Ltd. was established in 2018, specialized in the research and development, production and sales of high-end biomedical consumables.

CellPro is committed to providing global customers with high-quality consumables and customized services in Liquid Handling, Molecular Biology, Cell Culture, Immunotherapy, Biopharmaceuticals, etc.

CellPro currently has more than 400 employees, with plant of 50,000 m², 9,000 m² cleanroom of ISO Class 8, 5,500m² cleanroom







R & D Driving

CellPro established a professional gene amplification laboratory, cell culture laboratory, microbiology laboratory, robotic tips compatible experiment laboratory, etc., which can conduct one-stop biological performance verification and integrated research and development of consumables, reagents and instruments.



Production Supporting

Advanced equipment, imported high-quality raw materials to ensure the stability of quality.

With 100+ Fully automated production lines. They are all used of FANUC, ARBURG, ENGEL, TOYO and other imported injection molding machines and Davis Standard extruders to escort production and production capacity.



Quality System

The products are certified by TUV ISO13485, ISO9001, ISO14001 and medical device products passed CE-MDR and FDA standard gained.



© Customized Service

CellPro possess high-precision mold research and development center. CellPro is capacity for independently completing the whole process of product research and development, mold design and manufacturing, precision machining and plastic molding, process customization, biological verification, large-scale production. Externally,we can meet the needs of biomedical companies for new product development and customizd production.



Sales Service

CellPro has built a global distribution network.

Headquarters located in Suzhou, China.

Established North American sales center in the United States.

International sales center in Dubai, covering more than 50 countries and regions including Southeast Asia, South Asia, Europe, the Middle East, and North Africa. The establishment of an international warehouse and international logistics in Dubai has greatly improved the sourcing experience of our global customers and our service capabilities

Qualification Certificate _____ Contents

















Liquid Handling

Pipette Tips	06
CLT Universal Pipette Tips	12
RN Pipette Tips	15
Tecan Robotic Tips	19
PerkinElmer Robotic Tips	23
Hamilton Robotic Tips	25
Beckman Robotic Tips	27
Robotic Reservoirs	29
Reagent Reservoirs	30

Molecular Detection

96-well PCR Plates	31
384-well PCR Plates	32
PCR 8-strip Tubes and Caps	33
PCR Tubes with Attached Flat Cap	33
Optical Adhesive Film	34
Adhesive PCR plate seals	34
Sealing Foil	35

Centrifuge Tubes

15/50 mL Centrifuge Tubes	3
Micro Centrifuge Tubes	3
Centrifuge Bottles	3
Low Retention Micro Centrifuge Tubes	3
Safe-Lock Micro Centrifuge Tubes	3

Sample Storage & Freezing

Screw Cap Micro Tubes		
Cryogenic Vials	44	

Cell Culture

Cell Culture Plates	45
96-Well Round (U) Bottom Cell Culture	
Flasks	46
U-Shaped Cell Culture Flasks	47
Cell Culture Dishes	48
Serological Pipettes	48
Erlenmeyer Flasks	49

Immunoassay

Elisa MicroPlates	
96 Well Microplates	50

Microbial Culture

Petri Dish	5	4	1
Zetri Dish	D	1	

Nucleic Acid Extraction/Virus Sampling


96-well Deep Well Plates	5
96-well Deep Well Tip Combs	5
Transport Tubes	5
Nasal/Throat Sampling Collectors	5
Sampling Collection Kits	5
Saliva Sampling Collectors	5

PremPette Mechanical Pipettes

n	5-10 u	I /20-200 u	I /100-1000 ul	55

■ Pipette Tips

CellPro high quality pipette tips are universal fit, with high transparency and under GMP standard production. Low retention, filter are all optional. Ensure that you can choose any size that meets your requirements.





Features

- 100% virgin polypropylene
- Fully automated production lines
- DNA-free, DNase/RNase-free, Pyrogen/Endotoxin-free
- Universal fit
- Smooth surface to ensure accurate pipetting

Applications

- Pipetting liquids
- Dispensing liquids
- Mixing liquids
- · Filling plates and reaction vessels
- Filling gels for electrophoresis
- Phase extraction and removal of supernatants









Liquid Handling

10 µL Pipette Tips

Length: 31.6 mm

P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
800101	10	Bulk	Clear	1000 pcs/pack, 20 packs/case
800103	10	Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case
800104	10	Low Retention, Bulk	Clear	1000 pcs/pack, 20 packs/case
800106	10	Low Retention, Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case
800111	10	Reload System, Sterile	Clear	960 pcs/pack, 10 packs/case

10 μL Aerosol Filter Tips





20 μL Aerosol Filter Tips



P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
800707	20	Bulk, Filtered	Yellow	1000 pcs/pack, 20 packs/case
800708	20	Rack Packed, Filtered, Sterile	Yellow	96 pcs/rack, 50 racks/case
800709	20	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case

50 μL Aerosol Filter Tips



P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
800907	50	Bulk, Filtered	Yellow	1000 pcs/pack, 20 packs/case
800908	50	Rack Packed, Filtered, Sterile	Yellow	96 pcs/rack, 50 racks/case
800909	50	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case

Liquid Handling ______ Liquid Handling




















100 μL Aerosol Filter Tips

P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
800807	100	Bulk, Filtered	Yellow	1000 pcs/pack, 20 packs/case
800808	100	Rack Packed, Filtered, Sterile	Yellow	96 pcs/rack, 50 racks/case
800809	100	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case

100 Low Retention, Rack Packed, Filtered, Sterile Clear 96 pcs/rack, 50 racks/case

200 μL Pipette Tips






Length: 50.7 mm

200 µL Aerosol Filter Tips

P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
800607	200	Bulk, Filtered	Clear	1000 pcs/pack, 20 packs/case
800608	200	Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case
800609	200	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case


250 μ L Pipette Tips



P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
800601	250	Bulk	Clear	1000 pcs/pack, 20 packs/case
800603	250	Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case
800604	250	Low Retention, Bulk	Clear	1000 pcs/pack, 20 packs/case
800606	250	Low Retention, Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case
800611	250	Reload System, Sterile	Clear	960 pcs/pack, 10 packs/case

200 μ L Extended Length Pipette Tips





200 μ L Extended Length Aerosol Filter Tips

P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
801107	250	Bulk, Filtered	Clear	1000 pcs/pack, 20 packs/case
801108	250	Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case
801109	250	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case




300 µL Aerosol Filter Tips

P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
801127	300	Bulk Filtered	Clear	1000 pcs/pack, 20 packs/case
801128	300	Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case
801129	300	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case


F 80

1000 µL Pipette Tips






Liquid Handling ______ Liquid Handling _____









1000 µL Aerosol Filter Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
800407	1000	Bulk, Filtered	Blue	1000 pcs/pack, 5 packs/case
800408	1000	Rack Packed, Filtered, Sterile	Blue	96 pcs/rack, 50 racks/case
800409	1000	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case
		Length: 78.4 mm		

1000 µL Extended Length Pipette Tips

P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
800501	1250	Bulk	Blue	1000 pcs/pack, 5 packs/case
800503	1250	Rack Packed, Sterile	Blue	96 pcs/rack, 50 racks/case
800504	1250	Low Retention, Bulk	Clear	1000 pcs/pack, 5 packs/case
800506	1250	Low Retention, Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case
800511	1250	Reload System, Sterile	Blue	480 pcs/pack, 10 packs/case

1000 µL Extended Length Aerosol Filter Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
800507	1000	Bulk, Filtered	Blue	1000 pcs/pack, 5 packs/case
800508	1000	Rack Packed, Filtered, Sterile	Blue	96 pcs/rack, 50 racks/case
800509	1000	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case



T400 μL Pipette Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
T400C01	50	Bulk	Clear	1000 pcs/pack, 10 packs/case
T400C03	50	Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case
T400C04	50	Low Retention, Bulk	Clear	1000 pcs/pack, 10 packs/case
T400C06	50	Low Retention, Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case











T400 μ L Aerosol Filter Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
T400C07	20	Bulk, Filtered	Clear	1000 pcs/pack, 10 packs/case
T400C08	20	Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case
T400C09	20	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case



5 mL Pipette Tips

P/N	Max Capacity/mL	Tip Format	Tip Color	Configuration
8300501	5	Bulk	Clear	400 tips/pack, 5 packs/case
8300503	5	Rack Packed, Sterile	Clear	54 tips/rack, 20 racks/case



5 mL Aerosol Filter Tips

P/N	Max Capacity/mL	Tip Format	Tip Color	Configuration
8300507	5	Bulk, Filtered	Clear	400 pcs/pack, 5 packs/case
8300508	5	Rack Packed, Filtered, Sterile	Clear	54 pcs/rack, 20 racks/case



10 mL Pipette Tips


P/N	Max Capacity/mL	Tip Format	Tip Color	Configuration
8301001	10	Bulk	Clear	200 pcs/pack, 5 packs/case
8301003	10	Rack Packed, Sterile	Clear	54 pcs/rack, 20 racks/case



■ CLT Universal Pipette Tips

CLT universal pipette tips provide better performance in every way than universal type. The extra-long design of the tip makes it easier to use for almost any pipetting application and fits almost any brand of pipette in your lab. CLT represents quality, high performance and reliability.





Features

- 100% virgin polypropylene
- ISO-8 Cleanroom Production
- DNA-free, DNase/RNase-free, Pyrogen/Endotoxin-
- Universal fit

Applications

- Pipetting liquids
- Dispensing liquids
- Mixing liquids
- · Filling plates and reaction vessels
- Filling gels for electrophoresis
- Phase extraction and removal of supernatants







Liquid Handling

CLT200 µL Extended Length Filter Tips



CLT10 µL Extended Length Pipette Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
CLT10C01	50	Bulk	Clear	1000 pcs/pack, 10 packs/case
CLT10C03	50	Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case
CLT10C04	50	Low Retention, Bulk	Clear	1000 pcs/pack, 10 packs/case
CLT10C06	50	Low Retention, Rack packed, Sterile	Clear	96 pcs/rack, 50 racks/case



CLT10 µL Extended Length Filter Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
CLT10C07	10	Bulk, Filter	Clear	1000 pcs/pack, 10 packs/case
CLT10C08	10	Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case
CLT10C09	10	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case



CLT20 µL Extended Length Filter Tips

P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
CLT20C07	20	Bulk, Filtered	Clear	1000 pcs/pack, 10 packs/case
CLT20C08	20	Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case
CLT20C09	20	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case



CLT200 µL Extended Length Pipette Tips

P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
CLT200C01	200	Bulk	Clear	1000 pcs/pack, 10 packs/case
CLT200C03	200	Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case
CLT200C04	200	Low Retention, Bulk	Clear	1000 pcs/pack, 10 packs/case
CLT200C06	200	Low Retention, Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case

Page 12 Page 13








Length: 91.0 mm

CLT200 µL Extended Length Filter Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
CLT200C07	200	Bulk, Filtered	Clear	1000 pcs/pack, 10 packs/case
CLT200C08	200	Rack packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case
CLT200C09	200	Low retention, Rack packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case



CLT1000 µL Extended Length Pipette Tips

P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
CLT1000C01	1000	Bulk	Clear	1000 pcs/pack, 5 packs/case
CLT1000C03	1000	Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case
CLT1000C04	1000	Low Retention, Bulk	Clear	1000 pcs/pack, 5 packs/case
CLT1000C06	1000	Low Retention, Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case




CLT1000 µL Extended Length Filter Tips

P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
CLT1000C07	1000	Bulk, Filtered	Clear	1000 pcs/pack, 5 packs/case
CLT1000C08	1000	Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case
CLT1000C09	1000	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case

■ RN Pipette Tips

Compatibility: Rainin LTS Series





Features

- Imported polypropylene (PP), USP Class VI standards
- Smooth inner wall, reduce liquid residue, ensure the accuracy of liquid suction
- DNA-free, DNase/RNase-free, Pyrogen/Endotoxin-free
- Ultra-grinding & molding technology, release agent free
- Withstand temperature ranging from -80°C to 121
 °C, stable performance under high temperature and high pressure
- Extra thin-wall design increase product flexibility and improve heat transfer efficiency



Liquid Handling Liquid Handling









RN 20 µL Pipette Tips






RN 20 µL Aerosol Filter Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
8600107	20	Bulk, Filtered	Clear	1000 pcs/pack, 10 packs/case
8600108B	20	Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case
8600109B	20	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 50 racks/case
8600119	20	Low Retention, Bulk, Filtered	Clear	1000 pcs/pack, 10 packs/case

RN 200 µL Pipette Tips



P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
8600201	200	Bulk	Clear	1000 pcs/pack, 20 packs/case
8600203B	200	Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case
8600204	200	Low Retention, Bulk	Clear	1000 pcs/pack, 20 packs/case
8600206B	200	Low Retention, Rack Packed, Sterile	Clear	96 pcs/rack, 50 racks/case
8600211P01	200	Stacked Refill, Sterile	Clear	960 pcs/pack, 10 packs/case
8600213P01	200	Low Retention, Stacked Refill, Sterile	Clear	960 pcs/pack, 10 packs/case


RN 200 µL Aerosol Filter Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
8600207	200	Bulk, Filtered	Clear	1000 tips/pack, 20 packs/case
8600208B	200	Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
8600209B	200	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
8600219	200	Low Retention, Bulk, Filtered	Clear	1000 tips/pack, 20 packs/case



RN 300 µL Pipette Tips





RN 300 µL Pipette Tips





Length: 57.5 mm

RN 300 µL Aerosol Filter Tips

P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
8600307	300	Bulk, Filtered	Clear	1000 pcs/pack, 20 packs/case
8600308B	300	Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 40 racks/case
8600309B	300	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 40 racks/case
8600319	300	Low Petention, Bulk, Filtered	Clear	1000 pcs/pack, 20 packs/case

RN 1000 µL Pipette Tips



P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
8600401	1000	Bulk	Clear	1000 pcs/pack, 5 packs/case
8600403B	1000	Rack Packed, Sterile	Clear	96 pcs/rack, 40 racks/case
8600404	1000	Low Retention, Bulk	Clear	1000 pcs/pack, 5 packs/case
8600406B	1000	Low Retention, Rack Packed, Sterile	Clear	96 pcs/rack, 40 racks/case
8600411P01	1000	Stacked Refill, Sterile	Clear	768 pcs/pack, 10 packs/case
8600413P01	1000	Low Retention, Stacked Refill, Sterile	Clear	768 pcs/pack, 10 packs/case

RN 1000 µL Aerosol Filter Tips



P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
8600407	1000	Bulk, Filtered	Clear	1000 pcs/pack, 5 packs/case
8600408B	1000	Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 40 racks/case
8600409B	1000	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 40 racks/case
8600419	1000	Low Retention, Bulk, Filtered	Clear	1000 pcs/pack, 5 packs/case

Length: 49.4 mm





Doctor 67.5 mm

RN 1200 µL Pipette Tips

P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
8600501	1200	Bulk	Clear	1000 pcs/pack, 5 packs/case
8600503B	1200	Rack Packed, Sterile	Clear	96 pcs/rack, 40 racks/case
8600504	1200	Low Retention, Bulk	Clear	1000 pcs/pack, 5 packs/case
8600506B	1200	Low Retention, Rack Packed, Sterile	Clear	96 pcs/rack, 40 racks/case



RN 1200 µL Aerosol Filter Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
8600507	1200	Bulk, Filtered	Clear	1000 pcs/pack, 5 packs/case
8600508B	1200	Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 40 racks/case
8600509B	1200	Low Retention, Rack Packed, Filtered, Sterile	Clear	96 pcs/rack, 40 racks/case
8600519	1200	Low Retention, Bulk, Filtered	Clear	1000 pcs/pack, 5 packs/case




■ Tecan Robotic Tips

Designed for Tecan Platform.

Made of medical grade conductive polypropylene (PP), allowing capacitive liquid level detection.

Filter or without are all optional.





Features

- High performance
- Dispensing liquids
- Fully automated production lines
- Consistent pipetting accuracy and precision
- DNA-free, DNase/RNase-free, Pyrogen/Endotoxin-free
- Compatibility:

Series: Tecan Freedom EVO, Cavro workstation

Liquid Handling Liquid Handling









200 µL Tecan Conductive Robotic Tips

200 μL Tecan Robotic Tips






10 μL Tecan Conductive Robotic Tips



P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
900136	10	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900139	10	Blister Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900123	10	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50 racks/case
900128	10	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50 racks/case

50 μL Tecan Conductive Robotic Tips


P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
900336	50	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900339	50	Blister Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900323	50	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50 racks/case
900328	50	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50 racks/case




200 µL Tecan Conductive Robotic Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
900236	200	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900239	200	Blister Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900223	200	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50 racks/case
900228	200	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50 racks/case

200 µL Tecan Robotic Tips






Length: 96.1 mm

1000 µL Tecan Conductive Robotic Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
900436	1000	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900439	1000	Blister Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 24 racks/case
900423	1000	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50 racks/case
900428	1000	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50 racks/case

1000 ul Tocan Pohotic Tine



ο με το	ecan Robotic III	05		
P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
900403	1000	Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
900406	1000	Rack Packed, Low Retention, Sterile	Clear	96 tips/rack, 50 racks/case
900408	1000	Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 50 racks/case
900409	1000	Rack Packed, Filtered, Low Retention, Sterile	Clear	96 tips/rack, 50 racks/case
900416	1000	Blister Rack packed, Sterile	Clear	96 tips/rack, 24 racks/case
900418	1000	Blister Rack Packed, Low Retention, Sterile	Clear	96 tips/rack, 24 racks/case
900419	1000	Blister Rack Packed, Filtered, Sterile	Clear	96 tips/rack, 24 racks/case
900420	1000	Blister Rack Packed, Filtered, Low Retention, Sterile	Clear	96 tips/rack, 24 racks/case

Page 20 Page 21 Liquid Handling ______ Liquid Handling ______ Liquid Handling

■ TCN MCA Pipette Tips

Imported polypropylene (PP) material, stable chemical properties, excellent chemical corrosion resistance. CellPro has independent mold design capabilities and mature injection molding technology to ensure good air tightness and adaptability of products. All single-use tips are designed, manufactured, tested and certified to guarantee reliable quality, and consistency in pipetting accuracy and precision helps you achieve the best results.







Applications

- Adapted to TECAN MCA automatic workstations
- Imported polypropylene (PP) material , high light transmission
- The inner wall is smooth, pipetting is precise, and the seal and compatibility are good
- ISO-8 Cleanroom Production
- DNA-free, DNase/RNase-free, Pyrogen/ Endotoxin-free

P/N	Max Capacity/µL	Tip Format	Configuration
AMCA50C01	50	Bulk	1000 pcs/pack, 20 packs/case
AMCA50C03	50	Rack Packed, Sterile	96 pcs/rack, 50 racks/case
AMCA50C08	50	Rack Packed, Filtered, Sterile	96 pcs/rack, 50 racks/case
AMCA50C11	50	Stacked Refill, Sterile	768 pcs/pack, 5 packs/case
AMCA200C01	50	Bulk	1000 pcs/pack, 20 packs/case
AMCA200C03	50	Rack Packed, Sterile	96 pcs/rack, 50 racks/case
AMCA200C08	50	Rack Packed, Filtered, Sterile	96 pcs/rack, 50 racks/case
AMCA200C11	50	Stacked Refill, Sterile	768 pcs/pack, 5 packs/case


■ PerkinElmer Robotic Tips

Designed for PE Platform.

Made of medical grade conductive polypropylene (PP), allowing capacitive liquid level detection.

Filter or without are all optional.

PE customized tip box with steady base.





Features

- High performance
- Dispensing liquids
- Fully automated production lines
- Consistent pipetting accuracy and precision
- DNA-free, DNase/RNase-free, Pyrogen/Endotoxin-free

Compatibility:

Series: JANUS

Models: JANUS G3, JANUS G3 NGS Express,

JANUS G3 BioTx Pro and Pro Plus

Robotic arm: Varispan

Liquid Handling Liquid Handling







200 μL PE Conductive Robotic Tips

1000 µL PE Conductive Robotic Tips

50 μL PE Conductive Robotic Tips


P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
APE50BK23	50	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50racks/case
APE50BK28	50	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50racks/case


200 µL PE Conductive Robotic Tips


P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
APE200BK23	200	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50 racks/case
APE200BK28	200	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50 racks/case

1000 µL PE Conductive Robotic Tips

P/N	Max Capacity / μL	Tip Format	Tip Color	Configuration
APE1000BK23	1000	Rack Packed, Conductive, Sterile	Black	96 tips/rack, 50 racks/case
APE1000BK28	1000	Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 50 racks/case







■ Hamilton Robotic Tips

Designed for Hamilton Platform.

Made of medical grade conductive polypropylene (PP), allowing capacitive liquid level detection.

Filter or without are all optional.





Features

- High performance
- Dispensing liquids
- Fully automated production lines
- Consistent pipetting accuracy and precision
- DNA-free, DNase/RNase-free, Pyrogen/Endotoxin-
- Compatibility:

models: Microlab VANTAGE, Microlab STAR,

Microlab NIMBUS, Microlab Prep

pipettes: 1000µL channel, 96 ultiprobe Head

Page 24 Page 25 Liquid Handling ______ Liquid Handling ______ Liquid Handling





300 μL Hamilton Conductive Robotic Tips



50 μ L Hamilton Conductive Robotic Tips


P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
AHT50BK36	50	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 60 racks/case
AHT50BK39	50	Blister Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 60 racks/case


300 µL Hamilton Conductive Robotic Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
AHT300BK36	300	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 60 racks/case
AHT300BK39	300	Blister Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 60 racks/case

1000 µL Hamilton Conductive Robotic Tips

P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
AHT1000BK36	1000	Blister Rack Packed, Conductive, Sterile	Black	96 tips/rack, 40 racks/case
AHT1000BK39	1000	Blister Rack Packed, Filtered, Conductive, Sterile	Black	96 tips/rack, 40 racks/case







■ Beckman Robotic Tips

- Imported polypropylene (PP), USP Class VI standards
- Smooth inner wall, reduce liquid residue, ensure the accuracy of liquid suction
- DNA-free, DNase/RNase-free, Pyrogen/Endotoxin-free
- Ultra-grinding & molding technology
- Withstand temperature ranging from -80°C to 121°C, stable performance under high temperature and high pressure
- Extra thin-wall design increase product flexibility and improve heat transfer efficiency





Features

- High performance
- Dispensing liquids
- Fully automated production lines
- Consistent pipetting accuracy and precision
- DNA-free, DNase/RNase-free, Pyrogen/Endotoxin-free
- Compatibility: Beckman Biomek FX/NX, Biomek 4000, NAYO N96







20 µL Beckman Robotic Tips


P/N Max Capacity/μL		Tip Format	Tip Color	Configuration
ABK20C03 20		Rack Packed, Sterile	Clear	96 tips/rack, 50 racks/case
ABK20C08 20		Rack Packed, Filter, Sterile Clear 96 t		96 tips/rack, 50 racks/case


50 µL Beckman Robotic Tips


P/N	Max Capacity/µL	Tip Format	Tip Color	Configuration
ABK50C03	50	Rack Packed, Sterile Clear		96 tips/rack, 50 racks/case
ABK50C06	50	Low Retention, Rack Packed, Sterile Clear		96 tips/rack, 50 racks/case
ABK50C08	50	Rack Packed, Filter, Sterile Clear		96 tips/rack, 50 racks/case
ABK50C09	50	Low Retention, Rack Packed, Filter, Sterile	Clear	96 tips/rack, 50 racks/case

250 µL Beckman Robotic Tips

P/N	Max Capacity/μL	Tip Format	Tip Color	Configuration
ABK250C03	200	Rack Packed, Sterile Clear		96 tips/rack, 50 racks/case
ABK250C06	200	Low Retention, Rack Packed, Sterile Clear		96 tips/rack, 50 racks/case
ABK250C08	200	Rack Packed, Filter, Sterile Clear		96 tips/rack, 50 racks/case
ABK250C09	200	Low Retention, Rack Packed, Filter, Sterile Clea		96 tips/rack, 50 racks/case







■ Robotic Reservoirs

CellPro offers single-well and multiple-well reagent reservoirs which are available in multiple formats for both manual and automated environments. All reservoirs are compatible with most automation workstations. Reagent reservoirs are manufactured with polypropylene for excellent chemical resistance.



Features

- DNase/RNase-free
- Low heavy metals content
- Good chemical compatibility
- Comply with standard ANSI/SBS
- Can be stored at temperatures as low as -80°C

Application

Fit 8-channel or 12-channel pipette or 8-channel, 12-channel, 96-channel and 384-channel automation workstations.

P/N	Wells	Channels	Туре	Sterile	Configuration
819001	Multi	8-Channel Trough	Low Profile	No	5 pcs/pack, 10 packs/case
819002	Multi	12-Channel Trough	Low Profile	No	5 pcs/pack, 10 packs/case
819003	Single	96-Bottom Trough	Low Profile	No	5 pcs/pack, 10 packs/case
819004	Single	96-Bottom Trough	High Profile	No	5 pcs/pack, 10 packs/case
819005	Single	384-Bottom Trough	Low Profile	No	5 pcs/pack, 10 packs/case
819016	Multi	4-Channel Trough	Low Profile	No	5 pcs/pack, 10 packs/case
819017	Single	1-Bottom Trough	Low Profile	Yes	1 pc/pack, 150 packs/case
819018	Single	1-Bottom Trough	Low Profile	No	5 pcs/pack, 10 packs/case

Page 28 Page 29











ISO 9001

ISO 14001

ISO 13485

CE

FDA



CELLPRO® **CONTACT US**

Phone-+86-512-8066 7650

E-mailinfo@cellprobio.net

Websitewww.cellprobio.net

Address-

Building 1, CECEP (Suzhou) Environm -ental Technology Industrial Park, No. 18, Dongchang Road, Suzhou Industrial Park, Suzhou, Jiangsu, CHINA 215127

SUZHOU CELLPRO BIOTECHNOLOGY CO., LTD.

Number: CPE20230803